



Chikungunya Disease Surveillance Report




January 1 – August 5, 2017

Philippine Integrated Disease Surveillance and Response
Public Health Surveillance Division

Trend in the Philippines

A total **985** chikungunya cases were reported nationwide from January 1 to August 5, 2017. This is **67.7%** lower compared to the same time period last year (**3,054**).

Fig. 1 Reported Chikungunya Cases by Morbidity Week, Philippines, as of January 1 - August 5, 2017* (N=985)



Geographic Distribution

Most of the reported cases were from the following regions: **Region III (34.4%)**, **Region IVA (23.2%)**, **Region VIII (14.8%)**, **Region IVB (11.4%)** and **Region VII (5.6%)**. Most of the cases were from the following provinces: **Aurora (28.4%)**, **Leyte (14.8%)**, **Laguna (10.8%)**, **Romblon (9.9%)** and **Batangas & Negros Oriental (5.5%)**.

Fig. 2 Reported Chikungunya Cases by Region Philippines, 2017* vs 2016 (N=985)





Fig. 3 Reported Chikungunya Cases by Province Philippines, as of January 1 - August 5, 2017* (N=985)



*NOTE: Case counts reported here do NOT represent the final number and are subject to change after inclusion of delayed reports and review of cases.



Chikungunya Disease Surveillance Report




January 1 – August 5, 2017

Philippine Integrated Disease Surveillance and Response
Public Health Surveillance Division


Profile of Suspect Cases

Ages of cases ranged from less than 1 year to 88 years old (median = 30 years). Majority of cases were females (62.2%). Most (10.9%) of the cases belonged to the 25-29 years age group. There were 3 deaths reported (CFR=0.30%).

**Fig. 4 Reported Chikungunya Cases by Age Group and Sex
Philippines, as of January 1 – August, 2017* (N=985)**



**Fig. 5 Signs and Symptoms Experienced by Reported Chikungunya Cases,
Philippines, as of January 1 – August 5, 2017****




**multiple responses

*NOTE: Case counts reported here do NOT represent the final number and are subject to change after inclusion of delayed reports and review of cases.



Chikungunya Disease Surveillance Report




January 1 – August 5, 2017

Philippine Integrated Disease Surveillance and Response
Public Health Surveillance Division


Table 1. Chikungunya Cases & Deaths by Region
Philippines, 2017* vs 2016

Region	Cases			Deaths			
	2017	2016	% Change	2017	CFR (%)	2016	CFR (%)
I	7	341	↓ -97.9	0	0.00	0	0.00
II	2	0	↑ 200.0	0	0.00	0	-
III	339	181	↑ 87.3	0	0.00	0	0.00
IV-A	229	1,202	↓ -80.9	2	0.87	0	0.00
IV-B	112	207	↓ -45.9	0	0.00	0	0.00
V	9	128	↓ -93.0	0	0.00	0	0.00
VI	2	138	↓ -98.6	0	0.00	0	0.00
VII	55	208	↓ -73.6	0	0.00	0	0.00
VIII	146	191	↓ -23.6	0	-	0	0.00
IX	1	12	↓ -91.7	0	0.00	0	0.00
X	40	238	↓ -83.2	1	2.50	0	0.00
XI	8	40	↓ -80.0	0	0.00	0	0.00
XII	14	0	↑ 1400.0	0	0.00	0	-
ARMM	0	0	-	0	-	0	-
CAR	0	32	↓ -100.0	0	-	1	3.13
CARAGA	15	133	↓ -88.7	0	0.00	0	0.00
NCR	6	3	↑ 300.0	0	0.00	0	0.00
Total	985	3,054	↓ -67.7	3	0.30	1	0.03

EDITORIAL BOARD


IRMA L. ASUNCION, MD, MHA, CESO IV
Director IV, Epidemiology Bureau


GENESIS MAY J. SAMONTE, MD, MSc, PHSAE
OIC-Division Chief, PHSD


MARIEL A. DEJESA, MD, MPM
Medical Officer IV, PHSD


June Cantata B. Corpuz, RN
PIDS Program Manager


Jezza-Jean D. Crucena, RN
VPD National Coordinator

*NOTE: Case counts reported here do NOT represent the final number and are subject to change after inclusion of delayed reports and review of cases.