




**January 1 – March 25, 2017** **Epidemiology Bureau**  
**Public Health Surveillance Division**

### Trend in the Philippines

A total **282** chikungunya cases were reported nationwide from January 1 to March 25, 2017. This is **53%** lower compared to the same time period last year (**600**).


**Fig. 1 Reported Chikungunya Cases by Morbidity Week, Philippines, as of March 25, 2017 (N=282)**



### Geographic Distribution

Most of the suspect cases were from the following regions: **Region IV-A (38.49%)**, **Region III (25.79%)**, **Region IV-B (17.46%)**, **CARAGA (4.37%)** and **Region X (5.95%)**. Majority of the confirmed chikungunya cases were from **Region IV-A (53.33%)** and **Region III (30%)**.

**Fig. 2 Chikungunya Cases by Region and Case Classification Philippines, as of March 25, 2017 (N=282)**



\*NOTE: Case counts reported here do NOT represent the final number and are subject to change after inclusion of delayed reports and review of cases.




January 1 – March 25, 2017

Epidemiology Bureau  
 Public Health Surveillance Division


### Profile of Suspect Cases

Ages of cases ranged from less than 1 month to 88 years old (median = 28 years). Majority of cases were females (58.9%). Most (11.7%) of the cases belonged to the 25-29 years age group.

**Fig. 3 Suspect Chikungunya Cases by Age Group and Sex  
 Philippines, as of March 25, 2017 (N=282)**



**Fig. 4 Signs and Symptoms Experienced by Suspect Chikungunya Cases,  
 Philippines, as of March 25, 2017\*\***



\*\*multiple responses

\*NOTE: Case counts reported here do NOT represent the final number and are subject to change after inclusion of delayed reports and review of cases.



January 1 – March 25, 2017

Epidemiology Bureau  
 Public Health Surveillance Division

**Table 1. Reported Chikungunya Cases & Deaths by Region**  
 Philippines, 2017\* vs 2016

Region	Cases			Deaths			
	2017	2016	% Change	2017	CFR (%)	2016	CFR (%)
I	1	120	↓ -99.2	0	0.00	0	0.00
II	0	0	→ 0.0	0	-	0	-
III	74	2	↑ 3600.0	0	0.00	0	0.00
IV-A	113	308	↓ -63.3	1	0.88	0	0.00
IV-B	45	30	↑ 50.0	0	0.00	0	0.00
V	6	10	↓ -40.0	0	0.00	0	0.00
VI	1	16	↓ -93.8	0	0.00	0	0.00
VII	3	5	↓ -40.0	0	0.00	0	0.00
VIII	0	30	↓ -100.0	0	-	0	0.00
IX	1	3	↓ -66.7	0	-	0	0.00
X	15	20	↓ -25.0	0	0.00	0	0.00
XI	5	8	↓ -37.5	0	0.00	0	0.00
XII	1	0	↑ 100.0	0	0.00	0	-
ARMM	0	0	→ 0.0	0	-	0	-
CAR	0	1	↓ -100.0	0	-	1	100.00
CARAGA	13	47	↓ -72.3	0	0.00	0	0.00
NCR	4	0	↑ 400.0	0	0.00	0	-
<b>Total</b>	<b>282</b>	<b>600</b>	<b>↓ -53.0</b>	<b>1</b>	<b>0.35</b>	<b>1</b>	<b>0.17</b>

### EDITORIAL BOARD

  
 IRMA L. ASUNCION, MD, MHA, CESO IV  
 Director IV, Epidemiology Bureau

  
 GENESIS MAY J. SAMONTE, MD, MSc, PHSAE  
 OIC, Division Chief PHSD

  
 Allan P. Ignacio  
 Statistician II

  
 June Cantata B. Corpuz, RN  
 PIDSR Program Manager

  
 Jeza Jonah D. Crucena, RN  
 VPD National Coordinator