



## Introduction


Leptospirosis is a bacterial disease affecting both humans and animals. The early stages of the disease may include high fever, muscle pain, chills, redness in the eyes, abdominal pain, hemorrhages in skin and mucous membranes (including pulmonary bleeding), vomiting, diarrhea and rashes. Some cases may have yellowish body discoloration, dark-colored urine and light stools, low urine output and severe headache.

Caused by pathogenic *Leptospira* species bacteria, human infection occurs through direct contact with urine of infected animals or by contact with a urine-contaminated environment. Leptospire can gain entry through cuts and abrasions in the skin and through mucous membranes of the eyes, nose and mouth.

Leptospirosis has low case fatality rate. However, it increases with advancing age and may reach 20% or more in patients with jaundice and kidney damage (Weil's disease) who have not been treated with renal dialysis. Incubation period of the disease is 7-10 days.

## Suspect Leptospirosis Cases MW12

REGION	CASES
Region 1	= 8
Region 2	= 14
Region 3	= 25
Region 4A	= 6
Region 4B	= 8
Region 5	= 8
Region 6	= 22
Region 7	= 5
Region 8	= 4
Region 9	= 6
Region 10	= 16
Region 11	= 3
Region 12	= 1
ARMM	= 0
CAR	= 1
CARAGA	= 3
NCR	= 21
<b>TOTAL</b>	<b>= 151</b>



Legend - TOTAL	
0.00	Grey
1.00 - 5.00	Blue
5.01 - 10.00	Green
10.01 - 15.00	Yellow
15.01 +	Red




Morbidity Week 12 : January 1-March 26, 2016 Epidemiology Bureau  
Public Health Surveillance Division


## Trend in the Philippines

A total of 151 suspect leptospirosis cases were reported nationwide from January 1 to March 26, 2016. This is **25.2%** lower compared to the same time period last year (**202**).

**Fig. 1 Suspected Leptospirosis Cases by Morbidity Week Philippines, as of March 26, 2016**



**Fig. 2 Suspect Leptospirosis Cases by Morbidity Week, Philippines, as of March 26, 2016**  
 \*2016 vs 2015 (N=151)



*\*NOTE: Case counts reported here do NOT represent the final number and are subject to change after inclusion of delayed reports and review of cases.*




Morbidity Week 12 : January 1-March 26, 2016 Epidemiology Bureau  
Public Health Surveillance Division

### Geographic Distribution

Most of the cases were from the following regions: **REGION III** (16.6%), **REGION VI** (14.6%), **NCR** (13.9%), **REGION X** (10.6%) and **REGION II** (9.3%).


**Fig. 3 Suspect Leptospirosis Cases by Region Philippines, 2016 vs 2015 (N=151)**



### Profile of Cases

Ages of cases ranged from 0 to 75 years old (median = 34.0 years). Majority (89.4%) of cases were male. Most (34.4%) of the cases belonged to the age group of 40 to 64 years old (Fig. 4).

**Fig.4 Suspect Leptospirosis Cases by Agegroup and Sex Philippines, as of March 26, 2016 (N= 151)**




*\*NOTE: Case counts reported here do NOT represent the final number and are subject to change after inclusion of delayed reports and review of cases.*



Morbidity Week 12 : January 1-March 26, 2016 Epidemiology Bureau  
Public Health Surveillance Division

There were 18 deaths (CFR = 11.92%). The 65 years old and above age group has the highest CFR.

**Fig. 5 Suspect Leptospirosis Case Fatality Rate (CFR) by Age Group, Philippines, as of March 26, 2016 (N=151)**



**Table 1. Leptospirosis Cases & Deaths by Region**  
 Philippines, \*2016 vs 2015

Region	Cases			Deaths			
	*2016	2015	% Change	*2016	CFR (%)	2015	CFR (%)
I	8	12	-33.3	3	37.50	0	0.00
II	14	12	16.7	0	0.00	1	8.33
III	25	26	-3.8	2	8.00	2	7.69
IV-A	6	5	20.0	1	16.67	1	20.00
IV-B	8	3	166.7	0	0.00	0	0.00
V	8	14	-42.9	1	12.50	2	14.29
VI	22	29	-24.1	4	18.18	2	6.90
VII	5	13	-61.5	3	60.00	0	0.00
VIII	4	29	-86.2	0	0.00	3	10.34
IX	6	7	-14.3	1	16.67	1	14.29
X	16	10	60.0	1	6.25	3	30.00
XI	3	12	-75.0	0	0.00	1	8.33
XII	1	1	0.0	0	0.00	0	0.00
ARMM	0	1	-100.0	0	0.00	0	0.00
CAR	1	0	0.00	0	0.00	0	0.00
CARAGA	3	5	-40.0	0	0.00	0	0.00
NCR	21	23	-8.7	2	9.52	4	17.39
<b>Total</b>	<b>151</b>	<b>202</b>	<b>-25.2</b>	<b>18</b>	<b>11.92</b>	<b>20</b>	<b>9.90</b>

\*NOTE: Case counts reported here do NOT represent the final number and are subject to change after inclusion of delayed reports and review of cases.



Morbidity Week 12 : January 1-March 26, 2016

Epidemiology Bureau  
 Public Health Surveillance Division


**Table 2. Weekly Leptospirosis Summary Report by Region**  
 Philippines, as of March 26, 2016

Region	Morbidity Week				12th Morbidity Week		Cumulative Total	
	8	9	10	11	2016	2015	1st wk to 12th wk	2015
I	0	0	0	0	0	0	8	12
II	1	1	1	0	0	0	14	12
III	1	1	1	0	0	2	25	26
IV-A	0	0	0	0	0	0	6	5
IV-B	0	0	0	0	0	0	8	3
V	0	1	0	0	0	1	8	14
VI	1	2	0	1	0	2	22	29
VII	2	0	0	0	0	0	5	13
VIII	0	0	0	1	0	0	4	29
IX	0	0	1	0	0	1	6	7
X	3	1	0	0	1	2	16	10
XI	0	0	0	1	0	1	3	12
XII	0	0	0	0	0	0	1	1
ARMM	0	0	0	0	0	0	0	1
CAR	0	0	0	0	0	0	1	0
CARAGA	0	0	0	0	0	0	3	5
NCR	0	0	3	1	0	4	21	23
<b>Total</b>	<b>8</b>	<b>6</b>	<b>6</b>	<b>4</b>	<b>1</b>	<b>13</b>	<b>151</b>	<b>202</b>


*\*NOTE: Case counts reported here do NOT represent the final number and are subject to change after inclusion of delayed reports and review of cases.*


**EDITORIAL BOARD**

  
 IRMA L. ASUNCION, MD, MHA, CESO IV  
 Director IV, Epidemiology Bureau

  
 VITO G. ROQUE, JR., RMT, MD, PHSAE  
 Division Chief PHSD

Allan P. Ignacio  
 Statistician II

  
 June B. Corpuz, RN  
 Nurse III

  
 Jezza Jonah D. Crucena, RN  
 Nurse III